

Input data

System of measurement		Metric
Input type		Gear motor
Input speed	[rpm]	1400
Output speed	[rpm]	3.22
Ratio (i=)		435.12
Frequency	[Hz]	50
Input options		IEC
Requested input power	[kW]	0.09
Service factor		1
Rated Power P1	[kW]	0.09

Output data

Gear unit	M TA 63/50 B3 10 435.12 56 B14 AC 24 MT 0.09 kW 56 B4 B14 X3
------------------	---

Type		TA - Worm speed reducers
Input type		M
Size		63/50
Ratio (i=)		435.12
Gearbox ratio		56.00
Pre-stage ratio		7.77
Input flange		B14
Input speed	[rpm]	1400
Output speed	[rpm]	3.22
Rated output torque	[Nm]	109.52
Service Factor		1
Efficiency		0.41
Inertia moment	[kgm ²]	0.000019

Gear unit configuration

Output shaft		Hollow output shaft
Fixing		Universal
Version		B3
Attachment position		10

Output radial and axial loads

Ball bearings output radial load	[N]	3200
Taper bearings output radial load	[N]	4200
Ball bearings output axial load	[N]	640
Taper bearings output axial load	[N]	840

Accessories





Hollow output shaft		AC 24
---------------------	--	-------

Electric motor

Size		56 B4
Poles		4
Power	[kW]	0.09


Electric motor configuration

Motor flange		B14
Terminal box position		X3




69.99
69.971


Hollow output shaft



24.021
24.000




Attachment position




M TA 63/50 B3 10 435.12 56 B14 AC 24 MT 0.09 kW 56 B4 B14 X3

Mounting positions


B3




B6



B7



B8




V5



V6



Terminal box position



0.04

1







← Oil quantity [litres]

0.13

2

Lubricant type: Long life synthetic oil ISO VG320

Direction of rotation



Weight

Gear unit [kg]	5.3
Electric motor [kg]	2.6

Gearing data

Axial module	1.4
Number of starts	1
Lead angle	3° 42'
Pressure angle	20°

Backdriving

Static self-locking
Slow back-driving in case of vibrations
Low dynamic back-driving

M TA 63/50 B3 10 435.12 56 B14 AC 24 MT 0.09 kW 56 B4 B14 X3